Analytical Resource Laboratories
A Tentamus Company
47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

# Certificate of Analysis

## Sample Information

Lot#: A0147X

## Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|---|---|---|---|---|---|---|
| Complete Micro Profile (High Count) | USP, AOAC | | | | | 1 |
| Coliforms | AOAC 991.14 | 100 | Record Only | None Detected | cfu's/g | 1 |
| E. coli | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Staphylococcus aureus | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Salmonella | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Yeast (High Count) | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Mold (High Count) | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |

†**Method Detection Limit (MDL)**:
In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.
†**Limit of Quantitation (LOQ)**:
In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

**Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.**

experience • professionalism • value

Released by: Spencer Ashby

This Certificate of Analysis (COA) represents data only for the sample provided and is valid only in conjunction with the provided QR code. It does not constitute a guarantee of quality for the entire production lot. This COA shall not be reproduced, except in its entirety. Amendments to this COA shall be made only by ARL through written requests by the Client to whom this COA is issued. As a confirmation of validity, the above-provided QR code links to this exact COA on ARL servers. Its absence signals potential alterations.